



OVERHEAD CRANE LIGHT

PQ-TPS

Built with heavy-duty die-cast aluminum to withstand the toughest environments, the overhead crane warning LED projects a solid blue or red tightly focused spotlight on the floor to alert pedestrians to the hook's location. In addition, the spotlight aids precise positioning for crane operators by providing a framing reference between the floor and hook.



MODEL	COLOR TEMPERATURE	POWER (W)	INPUT VOLTAGE
PQ-TPS	RED BLUE	140W	120V = 100-277VAC

Catalog Number for Example: PQ-TPS-RED-140W-120V

CERTIFICATIONS




OVERHEAD CRANE LIGHT

PQ-TPS

SPECIFICATIONS

Power (W)	140W
Input voltage	100-277VAC
LEDs	14 pcs * 10W CREE LED
Lumen	14,000Lm
Beam pattern	Spot / Line
Color temperature	Red / Blue
Lifetime	50,000 hrs
IP rating	IP67
Lens material	PC
Housing material	Aluminium Alloy
Certifications	cULus, CE, RoHs
Operating temperature	-45°C to 80°C
Dimensions	194.3 x 77.6 x 220.3 mm

DIMENSIONS



ACCESSORY



AC/DC Power Supply to power 1 light
Output: 24V DC / 150W
Input: 100-305V AC

OVERHEAD CRANE LIGHT

PQ-TPS



SPOT BEAM

Vertical Dimensions (m)	Diameter (m)
5	0.65
10	1.2



LINEAR BEAM

Installation Height (m)	Length (m)	Width (m)
5	4.2	0.65
10	9.6	1.2
15	15	1.5

APPLICATION

