

OUTDOOR DECORATIVE

PQ-WLLK

The WLLK luminaire thrives to provide a high-quality lighting solution in demanding outdoor environments.

By successfully surpassing traditional options, this luminaire unveils advanced technical features, making it an optimal choice for illuminating your outdoor spaces. Specifically designed as an outdoor decorative luminaire, it adds an aesthetic touch while offering superior performance.

Key Takeaways :

- By incorporating 2835 LED technology, this luminaire manages to generate a powerful luminous flux of 850 lm at a color temperature of 4000 K, allowing it to achieve energy savings. This feature ensures optimal brightness while reducing power consumption compared to traditional lighting.
- Increased durability:** Thanks to its robust black aluminum structure, this luminaire is designed to withstand outdoor elements, including wet conditions. The frosted acrylic lens ensures even light distribution while preserving weather resistance.
- Optimal performance:** High Color Rendering Index (CRI \geq 80) and luminous efficacy of 50 lm/W, offering a pleasant visual experience and efficient use of light.
- Guaranteed long-term stability:** Estimated lifespan of 50,000 hours, ensuring reliable and consistent lighting while reducing replacement and maintenance costs.



DYNAMIC MENU



- 1 PRODUCT NAMING
- 2 TECHNICAL SPECIFICATIONS
- 3 DIMENSION DETAILS

CERTIFICATIONS



OUTDOOR DECORATIVE LIGHTING

Model	PQ-WLLK-XXX-W-
Color Temperature (CCT)	4000K
Power (W)	9
Luminous Flux (Lm)	850
Input Voltage (V)	120

OUTDOOR DECORATIVE

PQ-WLLK

FEATURES

ELECTRICAL CHARACTERISTICS

Power (W)	9
Input Voltage	120
Frequency (Hz)	60
Power Factor	>0,95
Dimmable Driver (V)	No
Total Harmonic Distortion	<20%



LUMINAIRE / CONSTRUCTION

Product Description	LED Outdoor Porch Light Fixture
LED Type	DEL 2835
Fixture Color	Black
Fixture Material	Aluminum
Inside Box Dimensions (Inches)	7.68 x 6.25 x 8.00
Main Box Dimensions (Inches)	19.69 x 16.14 x 16.97
Dimensions (Inches)	7-3/8 H x 5-7/8 W x 6-7/8 E

OPTICAL CHARACTERISTICS

Light Source (Lm)	850
Delivered Luminous Flux (Lm)	450
Efficacité initiale du luminaire (Lm/w)	50
Color Temperature (CCT)	4000K
Color Rendering Index (CRI)	>Ra80

CERTIFICATIONS

Certifications	ETL & CETL
----------------	------------




WARRANTY / LIFESPAN

Warranty	5 ans
----------	-------


OUTDOOR DECORATIVE

PQ-WLLK

DIMENSIONS



DEL 2835 - Emitted Color: 4000K



OUTDOOR LUMINAIRE WLLK: AESTHETIC APPEAL AND HIGH PERFORMANCE



The WLLK outdoor luminaire has been specifically designed to provide high-quality lighting in outdoor spaces where aesthetics play a crucial role. Thanks to the integrated 2835 LED technology, it effectively balances exceptional brightness with remarkable ease of use. Its easy wall installation makes it adaptable to outdoor lighting needs. Moreover, it is compatible with standard power supplies, ensuring practicality. In summary, it's the ideal choice for creating a pleasant atmosphere during your outdoor gatherings.