

# PEDESTAL

## FOR LEVEL 3 MODELS

Compatible with

- PQ-L3S
- PQ-L3D



Our chargers offer fast charging times, ensuring minimal downtime for users and maximizing efficiency for business operations. With a focus on innovation, our Level 3 chargers feature a modular design that allows for easy upgrades and maintenance, ensuring long-term reliability and scalability. This flexibility makes our chargers ideal for businesses looking to expand their EV charging infrastructure as demand increases.

# PEDESTAL

FOR LEVEL 3

## COMPATIBLE MODELS



▶ PQ-L3S



▶ PQ-L3D

- ▶ cETLus certified for safety and quality assurance.
- ▶ Supports CCS1 for versatile vehicle compatibility.
- ▶ Fast 20kW upto 60kW charging for quick EV turnaround.
- ▶ Ideal for high-traffic locations with rapid service.
- ▶ Durable pedestal design for long-term outdoor use.
- ▶ Smart charging features for network integration and management.

# PEDESTAL

## FOR LEVEL 3

### ► Model PQ-LP-SP Standalone Installation for Single connector

- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.



**Order Code: PQ-L3S-SP**

**Single pedestal for 1 unit.**

**Single port**

**10 width x 20 deep x 150 height (cm)**

# PEDESTAL

## FOR LEVEL 3

- ▶ **Model PQ-LP-SPD - Standalone Installation for Dual connectors**
  - Standalone, convenient charging station setup for environments where wall mounting isn't possible.
  - **Broad Applicability:** Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
  - **Superior Protection:** Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
  - **Unified Design:** One-piece structure with no splicing required, enhancing aesthetics and durability.



**Order Code: PQ-L3D-SPD**

**Single pedestal for 1 unit. Dual Ports**

**62 width x 40 deep x 155 height (cm)**

# EV CHARGER

FOR LEVEL 3

PEDESTAL			
Model Code	Description	Dimensions (cm)	Weight
PQ-L3S-SP	Single pedestal for 1 unit Single port DC charger	10W x 20D x 150H	13KG
PQ-L3D-SPD	Single pedestal for 1 unit Dual ports DC charger	62W x 40D x 155H	40KG

Catalog Number for Example: PQ-L3S-SP