

# PEDESTAL

## FOR LEVEL 2 MODELS

### Compatible with

- PQ-HS102
- PQ-CS308
- PQ-DS308



▶ Single



▶ Dual

Power Q delivers residential AC charging solutions in floor-standing configurations, with output capacities spanning 7.6kW to 23kW for single/dual-port connectivity. All units integrate intelligent energy management systems backed by industrial-grade hardware architecture. The proprietary adaptive power distribution (APD) module optimizes multi-vehicle charging efficiency while preventing circuit overloads.

# PEDESTAL

FOR LEVEL 2

## COMPATIBLE MODELS



▶ **PQ-HS102**



▶ **PQ-CS308**

- ▶ The vehicle charger is ETL certified for safety and reliability.
- ▶ It is rugged, weatherproof construction allows it to be used outdoors.
- ▶ The 18 to 25-foot charging cable gives you the flexibility to position your vehicle.
- ▶ Multiple power settings allow you to customize the charging rate.
- ▶ Integrated safety features provide protection from overheating, overcurrent, short circuits, etc.
- ▶ The LED screen clearly displays charging status and diagnostic information.



▶ **PQ-DS308**

# PEDESTAL

## FOR LEVEL 2

### ► Model 1 - Standalone Installation for Single connector

- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



**Order Code: PQ-LP-SP**  
**Single pedestal for 1 unit.**  
**Single Port**  
**27 x 20 x 133 cm**



**Order Code: PQ-LP-BBP**  
**Back to back pedestal for 2**  
**units. Single Port**  
**27 x 20 x 133 cm**

# PEDESTAL

## FOR LEVEL 2

### ► Model 2 - Standalone Installation for Dual connectors

- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers with dual charger installation.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



**Order Code: PQ-LP-DVP**  
Pedestal "V" for 2 units.  
33 x 30 x 133 cm



**Order Code: PQ-LP-SPD**  
Single pedestal for 1 unit.  
Dual Ports  
27 x 20 x 133 cm

# PEDESTAL

## FOR LEVEL 2

### ► Model 3 - With Cable Management System

- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers with single charger installation.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



Order Code: PQ-LP-DVPC

Pedestal "V" for 2 unit.

33 x 30 x 181 cm



Order Code: PQ-LP-SPC

Single pedestal for 1 unit.  
Single port.

41 x 30 x 194 cm



Order Code: PQ-LP-BBPC

Pedestal for 1 unit with 2 ports  
or  
Back-to-back pedestal for 2 units.  
Single outlet

41 x 30 x 194 cm

# EV CHARGER

FOR LEVEL 2

PEDESTAL			
Model Code	Description	Dimensions (cm)	Weight
<b>PQ-LP-SP</b>	Small single pedestal for 1 pc, Single port charger with 1 unit holster	27 x 20 x 133	16KG
<b>PQ-LP-SPD</b>	Single pedestal for 1 unit, Dual port charger with 2 units holsters	27 x 20 x 133	16KG
<b>PQ-LP-BBP</b>	Back to back pedestal for 2 units, Single port charger with 2 units holsters	27 x 20 x 133	16KG
<b>PQ-LP-DVP</b>	“V” pedestal for 2 charger units, single-port, with mounting supports for 2 units.	33 x 30 x 133	22.5KG
<b>PQ-LP-SPC</b>	Single pedestal for 1 unit, Single port charger with 1 unit holster and 1 unit cable management system	41 x 30 x 194	40KG
<b>PQ-LP-BBPC</b>	Single pedestal for 1 unit with Dual Ports	41 x 30 x 194	40KG
	Back to back pedestal for 2 units of single port charger with 2 units holsters and 2 units cable management systems		
<b>PQ-LP-DVPC</b>	“V” pedestal for 2 charger units, single-port, with mounting supports for 2 units and cable management systems for 2 units.	33 x 30 x 181	41KG

**Catalog Number for Example: PQ-LP-SPD**