FOR LEVEL 2 MODELS

Compatible with

- PQ-HS102
- PQ-CS308
- PQ-DS308



POWERQ MENIORY



Single

Dual

Power Q delivers residential AC charging solutions in floor-standing configurations, with output capacities spanning 7.6kW to 22kW for single/dual-port connectivity. All units integrate intelligent energy management systems backed by industrial-grade hardware architecture. The proprietary adaptive power distribution (APD) module optimizes multi-vehicle charging efficiency while preventing circuit overloads.

NoweRQ ENERGY IN SHIPE SHEET S

PEDESTAL

FOR LEVEL 2

COMPATIBLE MODELS







PQ-CS308

- The vehicle charger is ETL certified for safety and reliability.
- ▶ It is rugged, weatherproof construction allows it to be used outdoors.
- ► The 25-foot charging cable gives you the flexibility to position your vehicle.
- Multiple power settings allow you to customize the charging rate.
- ► Integrated safety features provide protection from overheating, overcurrent, short circuits, etc.
- ► The LED screen clearly displays charging status and diagnostic information.



PQ-DS308

FOR LEVEL 2

- Model 1 Standalone Installation for Single connector
- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



Order Code: PQ-LP-SP



Order Code: PQ-LP-BBPHD

Single pedestal for 1 unit.
Single Port
27 x 20 x 133 cm

Back to back pedestal for 2 units.
Single Port
27 x 20 x 133 cm

FOR LEVEL 2

Model 2 - Standalone Installation for Dual connectors

- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers with dual charger installation.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



Order Code: PQ-LP-SPD

Single pedestal for 1 unit.

Dual Ports

27 x 20 x 133 cm

FOR LEVEL 2

- Model 3 With Cable Management System
- Standalone, convenient charging station setup for environments where wall mounting isn't possible.
- Broad Applicability: Suitable for homes, businesses, and parking lots, with flexible installation to meet varied needs.
- Superior Protection: Made with galvanized steel and electrostatic coating for strong corrosion and weather resistance.
- Unified Design: One-piece structure with no splicing required, enhancing aesthetics and durability.
- Fully Compatible: Supports all North American Level 2 chargers with single charger installation.
- Optimized Charging Experience: Delivers a more convenient and efficient charging experience for EV owners, suitable for any site.



Order Code: PQ-LP-SPC

Single pedestal for 1 unit.
Single Port



Order Code: PQ-LP-BBPC

Single pedestal for 1 unit with Dual Ports or

Back to Back pedestal for 2 units with Single Port

41 x 30 x 194 cm

41 x 30 x 194 cm

POWERQ ENERGINENT

EV CHARGER

FOR LEVEL 2

PEDESTAL			
Model Code	Description	Dimensions (cm)	Weight
PQ-LP-SP	Small single pedestal for 1 pc, Single port charger with 1 unit holster	27 x 20 x 133	16KG
PQ-LP-SPD	Single pedestal for 1 unit, Dual port charger with 2 units holsters	27 x 20 x 133	16KG
PQ-LP-BBPHD	Back to back pedestal for 2 units, Single port charger with 2 units holsters	27 x 20 x 133	16KG
PQ-LP-SPC	Single pedestal for 1 unit, Single port charger with 1 unit holster and 1 unit cable management system	41 x 30 x 194	40KG
PQ-LP-BBPC	Single pedestal for 1 unit with Dual Ports	41 x 30 x 194	40KG
	Back to back pedestal for 2 units of single port charger with 2 units holsters and 2 units cable management systems		

Catalog Number for Example: PQ-LP-SPD